



4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100



RAMP UP




NOTES
 1. SEE PLAN FOR DETAILS OF JOINTS
 2. SEE PLAN FOR DETAILS OF WALLS
 3. SEE PLAN FOR DETAILS OF ROOF
 4. SEE PLAN FOR DETAILS OF FLOORING
 5. SEE PLAN FOR DETAILS OF PARTITIONS

A2 PROPOSED FLOOR PLAN


OFFICE OF THE PROVINCIAL ENGINEER
 MULTIPURPOSE BUILDING

DATE: 1968
 DRAWN BY: [Signature]
 CHECKED BY: [Signature]

PROJECT NO. 1000
 SHEET NO. 1000-1000




FRONT ELEV



REAR ELEV

SIGNAGE DETAIL




RIGHT SIDE ELEV

LEFT SIDE ELEV


OFFICE OF THE PROVINCIAL ENGINEER
 CONSTRUCTION OF
 MULTIPURPOSE BUILDING
 PROJECT NO. 1000/1000
 DATE 1/1/1970

1. ALL WORK TO BE DONE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE BUILDING CODES AND SPECIFICATIONS.
 2. ALL MATERIALS TO BE USED SHALL BE OF THE BEST QUALITY AND SHALL BE APPROVED BY THE ARCHITECT.
 3. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE BUILDING CODES AND SPECIFICATIONS.
 4. ALL MATERIALS TO BE USED SHALL BE OF THE BEST QUALITY AND SHALL BE APPROVED BY THE ARCHITECT.
 5. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE BUILDING CODES AND SPECIFICATIONS.




SHOP DRAWING
 CEILING JOIST DETAIL

1. ALL JOISTS TO BE 2" x 8" S4S.
 2. JOISTS TO BE SPACED AT 16" O.C.
 3. JOISTS TO BE SUPPORTED BY WALLS OR OTHER JOISTS.
 4. JOISTS TO BE CUTTED AT CORNERS AND AT OPENINGS.
 5. JOISTS TO BE FINISHED WITH A 1/2" THICK GYP BOARD.




REFLECTED CEILING PLAN

OFFICE OF THE PROFESSIONAL ENGINEER
 CONSTRUCTION OF
 MULTIPURPOSE BUILDING



LONGITUDINAL SECTIONAL ELEV. THRU 'B'

1. ALL WORK TO BE DONE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE BUILDING CODES AND SPECIFICATIONS.
 2. ALL MATERIALS TO BE USED SHALL BE OF THE BEST QUALITY AND SHALL BE APPROVED BY THE ARCHITECT.
 3. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE BUILDING CODES AND SPECIFICATIONS.






CROSS SECTIONAL ELEV. THRU 'A'

46
 411

LONG SPAN RIB DETAIL






LONG SPAN RIB DETAIL



ROOF PLAN

PERSPECTIVE VIEW






DOOR: 1.200 x 2.100
 MATERIAL: 1.500 x 1.500
 FINISH: 1.500 x 1.500



DOOR: 1.200 x 2.100
 MATERIAL: 1.500 x 1.500
 FINISH: 1.500 x 1.500




DOOR: 1.200 x 2.100
 MATERIAL: 1.500 x 1.500
 FINISH: 1.500 x 1.500



DOOR: 1.200 x 2.100
 MATERIAL: 1.500 x 1.500
 FINISH: 1.500 x 1.500



DOOR: 1.200 x 2.100
 MATERIAL: 1.500 x 1.500
 FINISH: 1.500 x 1.500




DOOR: 1.200 x 2.100
 MATERIAL: 1.500 x 1.500
 FINISH: 1.500 x 1.500




DOOR: 1.200 x 2.100
 MATERIAL: 1.500 x 1.500
 FINISH: 1.500 x 1.500

SCHEDULE OF DOORS

SCHEDULE OF WINDOWS




SCHEDULE OF CABINET & TABLES



STAINLESS STEEL RAILINGS 1 DET.

STAINLESS STEEL RAILINGS 2 DET.



PERSPECTIVE VIEW

OFFICE OF THE PROVINCIAL ENGINEER
 MULTIPURPOSE BUILDING

CONSTRUCTION OF
 MULTIPURPOSE BUILDING

PROJECT NO. 100/100/100

DATE: 10/10/10





SCALE: 1:100

PROJECT NO. 100/100/100

DATE: 10/10/10

PROJECT NO. 100/100/100

DATE: 10/10/10



C2F2 DETAIL

C1F1 DETAIL

FOR THE PROVINCE OF ...

DATE OF THE PROVINCIAL ENGINEER ...

CONSTRUCTION OF MULTIPURPOSE BUILDING

PROF. ...

82


811

NOTE:

ALL PIPE ROUGHING IN INSTALLATION SHALL BE CHECKED BEFOREHAND BY THE DESIGNER & PROJECT ENGINEER PRIOR UPON SOLVENT CEMENT FIXED FASTENING & CONCEALING

SECTION

PEDESTAL LAVATORY DETAIL



NOTES AND SPECIFICATION

1. ALL PIPING SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL PLUMBING CODE AND THE NATIONAL ELECTRICAL CODE.

2. ALL PIPING SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL PLUMBING CODE AND THE NATIONAL ELECTRICAL CODE.

3. ALL PIPING SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL PLUMBING CODE AND THE NATIONAL ELECTRICAL CODE.

4. ALL PIPING SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL PLUMBING CODE AND THE NATIONAL ELECTRICAL CODE.

5. ALL PIPING SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL PLUMBING CODE AND THE NATIONAL ELECTRICAL CODE.

6. ALL PIPING SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL PLUMBING CODE AND THE NATIONAL ELECTRICAL CODE.


7. ALL PIPING SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL PLUMBING CODE AND THE NATIONAL ELECTRICAL CODE.

8. ALL PIPING SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL PLUMBING CODE AND THE NATIONAL ELECTRICAL CODE.



9. ALL PIPING SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL PLUMBING CODE AND THE NATIONAL ELECTRICAL CODE.

10. ALL PIPING SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL PLUMBING CODE AND THE NATIONAL ELECTRICAL CODE.

PLUMBING PIPING ISOMETRIC LAYOUT




PLUMBING LAYOUT



LEGEND:

- 1. WATER SUPPLY
- 2. COLD WATER
- 3. HOT WATER
- 4. SEWER
- 5. VENT
- 6. GAS
- 7. CONDENSATE
- 8. RAIN WATER
- 9. FIRE ALARM
- 10. AIR CONDITIONING

PWD GRAB BAR



OFFICE OF THE PROJECT ENGINEER
CONSTRUCTION OF
MULTIPURPOSE BUILDING

PLAN SEPTIC VAULT DETAIL





ELECTRICAL POWER LAYOUT

ELECTRICAL LIGHTING LAYOUT

OFFICE OF THE PROVINCIAL ENGINEER
 CONSTRUCTION OF
 MULTIPURPOSE BUILDING
 KAMPONG CHHAMP
 PROJECT NO. 1000/1000
 DRAWING NO. 1000/1000
 SHEET NO. 1000/1000
 DATE 10/10/10

NOTES AND SPECIFICATION

1. ALL WORK TO BE ACCORDING TO THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL FIRE ALARM AND SIGNALING CODE (NFPA 72).

2. ALL WIRING TO BE IN CONFORMANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL FIRE ALARM AND SIGNALING CODE (NFPA 72).

3. ALL WIRING TO BE IN CONFORMANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL FIRE ALARM AND SIGNALING CODE (NFPA 72).

4. ALL WIRING TO BE IN CONFORMANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL FIRE ALARM AND SIGNALING CODE (NFPA 72).


5. ALL WIRING TO BE IN CONFORMANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL FIRE ALARM AND SIGNALING CODE (NFPA 72).

LOAD SCHEDULE

CIRCUIT NO	DESCRIPTION	QTY	VA	VOLT	AMPERES	CKT PROTECTION	SIZE OF WIRE	SIZE OF CONDUIT
1	LIGHTING OUTLET	15	1500	230	6.52	15 AT	2.0 mm ² THHN	20 mm Ø UPVC
2	LIGHTING OUTLET	4	400	230	1.74	15 AT	2.0 mm ² THHN	20 mm Ø UPVC
3	POWER OUTLET	10	1,800	230	7.82	20 AT	3.5 mm ² THHN	20 mm Ø UPVC
4	AIRCON OUTLET	1	1380	230	12.0	30 AT	5.5 mm ² THHN	20 mm Ø UPVC
5	AIRCON OUTLET	1	1380	230	12.0	30 AT	5.5 mm ² THHN	20 mm Ø UPVC

FEEDER 2 - 14mm² THHN IN 32mm Ø RSC PIPE MAIN CB 60AMP CB


LEGEND



THIS SITE



LOCATION MAP



DROP WIRE INSTALLATION

OFFICE OF THE PROVINCIAL ENGINEER
 CONSTRUCTION OF
 MULTIPURPOSE BUILDING
 KUALA LUMPUR